



IMPEDANCE (Z)			
Frequency	25 MHz	100 MHz	300 MHz
Nominal (REF)	43 Ω	112 Ω	269 Ω
Minimum	- Ω	90 Ω	- Ω



AGILENT E4991A Impedance/Material Analyzer
HP 16092A-Test Fixture. TEST REF. 3845



DETAIL "A"
CHAMFER
SCALE=15:1

UNCONTROLLED DOCUMENT

FERRITE CORE DIMENSIONS (SPEC): mm [in]

A	24.00 [.945]	±	0.42 [.017]
B	19.00 [.748]	±	0.35 [.014]
C	10.00 [.394]	±	0.20 [.008]
D	6.25 [.246]	+	0.25 [.010]
		-	0.20 [.008]
E	1.25 [.049]	+	0.20 [.008]
		-	0.10 [.004]

WEIGHT/1000 5.80 kgs [12.79 Lbs]

NOTES: UNLESS OTHERWISE SPECIFIED
1. COSMETIC SPECIFICATION REFER TO WI-QA-038.

SCALE DRAWING 1:1

28R0945-000



DIMENSIONS ARE IN mm[INCHES].				This print is the property of Laird Tech. and is loaned in confidence subject to return upon request and with the understanding that no copies shall be made without the written consent of Laird Tech. All rights to design or invention are reserved.		Laird	
				PROJECT/PART NUMBER:		REV	DRAWN BY:
C	UPDATE COMPANY LOGO	05/26/15	QIU	28R0945-000		C	JRK
B	UPDATE Z SPECS AND COMPANY LOGO	07/27/07	JRK	DATE:	03/01/04	SCALE:	3 : 1
A	ORIGINAL DRAFT	03/01/04	JRK	CAD #	28R0945-000-C	TOOL #	R0945
REV	DESCRIPTION	DATE	INT			MATERIAL: FERRITE	